



iDesigno

10W Pendola Pendant

TECHNICAL DATA SHEET

A sleek, LED pendant light available in white or black, with interchangeable trims in gold, silver or transparent finishes for a contemporary touch. Featuring durable aluminium housing and versatile surface or pendant mounting, it is the perfect touch of accent lighting to any space.

Areas for Application

- Retail Stores
- Offices
- Showrooms
- Reception Areas
- Commercial Areas

8/94 Forsyth Street
O'Connor WA 6163
08 6371 1780
sales@ledtec.com.au
www.iDesigno.com.au
iDesigno is a brand by Ledtec



LEDTEC

TECHNICAL SPECIFICATIONS

| Product | |
|-----------------------|-------------------------|
| Model - Surface Mount | ID-PDU-PEN-10W-36-4K-SM |
| Model - Pendant | ID-PDU-PEN-10W-36-4K-PD |

| Luminaire Information | |
|-----------------------|-----------------------------------|
| Rated Power | 10W |
| Installation | Surface Mount Pendant |
| Dimming Option | Non-Dimmable Dimmable Optional |
| Accessories | Transparent Acrylic Mask |

| Driver Information | |
|---------------------|-----------------------|
| Driver Type | Built In Flicker Free |
| Dimming Option | Non-Dimmable |
| Rated Input Voltage | AC 220 - 240V |

| Warranty | |
|----------|---------|
| Warranty | 5 Years |


| Material & Finish | |
|--------------------------------|--|
| Ingress Protection Rating | IP20 |
| Material Composition (Housing) | Aluminum |
| Product Finish (Base) | White RAL9016 - WH Black RAL9005 - BK |
| Reflector Colours | Gold - GD Silver - SI Transparent - TR |

| Product Dimensions | |
|----------------------------|--------------|
| Dimensions - Surface Mount | 80 x 130mm |
| Dimensions - Pendant | 100 x 1246mm |


| Optical Characteristics | |
|-------------------------------|--|
| Correlated Colour Temperature | 4000K Standard 2700K - 5000K Optional |
| Colour Rendering Index | 90Ra |
| LED Type | COB |
| LED Expected Lifespan | 50,000hrs |
| Luminous Flux | Standard: 900 - 1030lms Transparent Mask: 530 - 650lm |
| Beam Angle | 15° / 24° / 36° / 45° |
| SDCM | <4 |

SIZE DIAGRAMS

Surface Mount





Pendant




ACCESSORIES


Transparent Acrylic Mask



Surface Mount



Pendant



REFLECTORS

